



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO ILLUSTRATIONS OF FUNGI I-XXII

WILLIAM A. MURRILL

This series of twenty-two illustrated articles on the larger fungi was begun with the first volume of *Mycologia* in 1909 and has been continued regularly each year since. During this time, 184 species have been described and figured, 27 of them from photographs and the remaining 157 from water-color paintings prepared by Mr. Edward C. Volkert. The specimens used have been mostly collected in the vicinity of New York City, but a few came from Massachusetts. Many important edible and poisonous fungi have been included in the treatment.

- Agaricus arvensis*, 6: 222. pl. CXXXVII, f. 2
 campester hortensis, 6: 165. pl. CXXXIV
 campestris, 1: 37. pl. III, f. 1
 campestris, 1: 260. pl. XV, f. 4 (uncolored)
 silvicola, 6: 222. pl. CXXXIX
Amanita cothurnata, 5: 96. pl. LXXXVII, f. 6
 flavorubescens, 5: 95. pl. LXXXVII, f. 4, 7
 Frostiana, 5: 96. pl. LXXXVII, f. 5
 muscaria, 5: 94. pl. LXXXVII, f. 3
 phalloides, 1: 258. pl. XV, f. 2
 phalloides, 5: 93. pl. LXXXVII, f. 1
 rubescens, 6: 1. pl. CXIII, f. 1
Amanitopsis vaginata, 1: 85. pl. VII, f. 5
 volvata, 5: 94. pl. LXXXVII, f. 2
Anthurus borealis, 4: 167. pl. LXVIII, f. 8
Armillaria mellea, 1: 2. pl. I, f. 2
Asterophora Clavus, 6: 163. pl. CXXIX
Boletinellus merulioides, 2: 47. pl. XIX, f. 7
Boletus americanus, 5: 3. pl. LXXX, f. 5
 scaber, 1: 3. pl. I, f. 5
Campanularius semiglobatus, 3: 103. pl. XL, f. 13
Ceriumyces auriporus, 5: 2. pl. LXXX, f. 2
 bicolor, 5: 4. pl. LXXX, f. 7
 communis, 2: 44. pl. XIX, f. 2
 communis, 5: 260. pl. XCII, f. 6
 fumosipes, 5: 259. pl. XCII, f. 5
 illudens, 5: 260. pl. XCII, f. 7

- Ceratomyces retipes*, 7: 166. pl. CLX, f. 7
 subglabripes, 5: 4. pl. LXXX, f. 6
 subsanguineus, 2: 45. pl. XIX, f. 4
 subtomentosus, 2: 46. pl. XIX, f. 6
Chanterel cinnabarinus, 5: 258. pl. XCII, f. 3
 minor, 5: 257. pl. XCII, f. 1
Claudopus nidulans, 6: 4. pl. CXIII, f. 6
Clavaria fusiformis, 7: 225. pl. CLXIII, f. 9
Clitocybe illudens, 7: 115. pl. CLVIII, f. 1
 multiceps, 1: 3. pl. I, f. 4
Clitopilus abortivus, 4: 6. pl. LVI, f. 12
Collybia dryophila, 3: 101. pl. XL, f. 8
 maculata, 6: 163. pl. CXXX
 platyphylla, 7: 118. pl. CLVIII, f. 4
 radicata, 6: 221. pl. CXXXVII, f. 1, pl. CXXXVIII
 velutipes, 1: 39. pl. III, f. 6
Collybidium dryophilum, 3: 101. pl. XL, f. 8
 dryophilum, 4: 164. pl. LXVIII, f. 3
 luxurians, 3: 169. pl. XLIX, f. 7
 zonatum, 4: 4. pl. LVI, f. 8
Conocybe tener, 3: 100. pl. XL, f. 6
Coprinus atramentarius, 1: 39. pl. III, f. 4
 Brassicae, 4: 2. pl. LVI, f. 4
 comatus, 1: 38. pl. III, f. 3
 micaceus, 1: 39. pl. III, f. 5
 Spraguei, 4: 5. pl. LVI, f. 9
 sterquilinus, 3: 166. pl. XLIX, f. 3
Coriolus prolificans, 5: 288. pl. CIII
 versicolor, 5: 287. pl. CII
Cortinarius anomalus, 7: 223. pl. CLXIII, f. 5
 erythrinus, 7: 223. pl. CLXIII, f. 4
 roseipallidus, 7: 221. pl. CLXIII, f. 1
Cortinellus decorus, 7: 164. pl. CLX, f. 3
Craterellus cornucopioides, 4: 5. pl. LVI, f. 10
Crucibulum crucibuliforme, 3: 103. pl. XL, f. 12
 vulgare, 3: 103. pl. XL, f. 12
Cyathia hirsuta, 3: 102. pl. XL, f. 11
Cyathus striatus, 3: 102. pl. XL, f. 11
Daedalea quercina, 5: 291. pl. CVI, f. 2
Dictyophora duplicata, 1: 260. pl. XV, f. 6 (uncolored)
 duplicata, 2: 3. pl. XVII, f. 5
 Ravenelii, 2: 3. pl. XVII, f. 4
Elfvingia megaloma, 5: 291. pl. CVII, pl. CVIII, f. 1
Entoloma Grayanum, 5: 259. pl. XCII, f. 4
Fistulina hepatica, 2: 45. pl. XIX, f. 5
Flammula carbonaria, 4: 165. pl. LXVIII, f. 5
Fomes unguatus, 5: 292. pl. CVIII, f. 2
Galera tener, 3: 100. pl. XL, f. 6
Grifola frondosa, 5: 290. pl. CVI, f. 1

- Gymnopilus farinaceus*, 7: 222. pl. CLXIII, f. 3
Gyroporus castaneus, 5: 1. pl. LXXX, f. 1
Hebeloma praecox, 3: 166. pl. XLIX, f. 2
Hydrocybe caespitosa, 6: 2. pl. CXIII, f. 2
 pratensis, 6: 2. pl. CXIII, f. 3
Hygrophorus ceraceus, 2: 160. pl. XXVII, f. 2
 chlorophanus, 2: 160. pl. XXVII, f. 3
 coccineus, 2: 162. pl. XXVII, f. 7
 conicus, 2: 162. pl. XXVII, f. 8
 eburneus, 6: 164. pl. CXXXI
 flavodiscus, 4: 6. pl. LVI, f. 11
 Laurae, 2: 163. pl. XXVII, f. 10
 miniatus, 2: 163. pl. XXVII, f. 9
 nitidus, 2: 161. pl. XXVII, f. 6
 pratensis, 2: 159. pl. XXVII, f. 1
 pratensis, 6: 2. pl. CXIII, f. 3
 psittacinus, 2: 160. pl. XXVII, f. 4
 puniceus, 2: 161. pl. XXVII, f. 5
Hypholoma aggregatum, 6: 4. pl. CXIII, f. 5
 appendiculatum, 4: 1. pl. LVI, f. 1, 2
 Candolleianum, 7: 120. pl. CLVIII, f. 7
 lacrymabundum, 7: 116. pl. CLVIII, f. 2
 perplexum, 1: 1. pl. I, f. 1
Inocybe abundans, 3: 104. pl. XL, f. 14
 Astoriana, 3: 104. pl. XL, f. 15
 geophylla, 6: 224. pl. CXXXVII, f. 6
 infida, 3: 97. pl. XL, f. 1
 Lorillardiana, 3: 101. pl. XL, f. 9
 rimosa, 4: 4. pl. LVI, f. 7
Inonotus dryophilus, 1: 84. pl. VII, f. 3
Irpiciporus mollis, 5: 288. pl. CIV
Ischnoderma fuliginosum, 1: 86. pl. VII, f. 6
Laccaria laccata, 3: 99. pl. XL, f. 4
 ochropurpurea, 6: 223. pl. CXXXVII, f. 5
Lactaria Hibbardae, 7: 225. pl. CLXIII, f. 8
 piperata, 6: 164. pl. CXXXII, f. 2
 plinthogala, 7: 164. pl. CLX, f. 2
 subdulcis, 3: 168. pl. XLIX, f. 5
 Volkertii, 7: 165. pl. CLX, f. 5
Lentodium squamosum, 7: 119. pl. CLVIII, f. 6
Leotia chlorocephala, 2: 2. pl. XVII, f. 3
 lubrica, 2: 1. pl. XVII, f. 1
 stipitata, 2: 2. pl. XVII, f. 2
Lepiota americana, 3: 168. pl. XLIX, f. 6
 amianthina, 7: 118. pl. CLVIII, f. 5
 brunnescens, 6: 223. pl. CXXXVII, f. 4
 naucina, 6: 165. pl. CXXXIII
 procera, 5: 257. pl. XCII, f. 2
Lycoperdon Bovista, 6: 161. pl. CXXVI

- Lycoperdon cyathiforme*, 1: 257. pl. XV, f. 1
 gemmatum, 1: 259. pl. XV, f. 3
 giganteum, 6: 161. pl. CXXVI
 pyriforme, 6: 162. pl. CXXVII
 Wrightii, 1: 261. pl. XV, f. 7
Marasmius magnisporus, 4: 166. pl. LXVIII, f. 7
 oreades, 2: 44. pl. XIX, f. 3
Melanoleuca fumidella, 7: 165. pl. CLX, f. 4
 melaleuca, 3: 167. pl. XLIX, f. 4
 Russula, 7: 222. pl. CLXIII, f. 2
 sordida, 6: 3. pl. CXIII, f. 4
Mutinus elegans, 2: 4. pl. XVII, f. 6
Mycena praedecurrens, 4: 165. pl. LXVIII, f. 4
 pura, 7: 117. pl. CLVIII, f. 3
 succosa, 6: 225. pl. CXXXVII, f. 9
 vexans, 4: 168. pl. LXVIII, f. 9
Naucoria pennsylvanica, 3: 102. pl. XL, f. 10
 semiorbicularis, 3: 98. pl. XL, f. 2
 subvelosa, 4: 164. pl. LXVIII, f. 2
Nyctalis asterophora, 6: 163. pl. CXXIX
Omphalia Campanella, 4: 168. pl. LXVIII, f. 10
 Volkertii, 3: 98. pl. XL, f. 3
Omphalopsis Campanella, 4: 168. pl. LXVIII, f. 10
Panaeolus retirugis, 3: 100. pl. XL, f. 7
 solidipes, 7: 163. pl. CLX, f. 1
Panus stypticus, 3: 105. pl. XL, f. 16
Pholiota adiposa, 1: 83. pl. VII, f. 1, 2
 candicans, 3: 165. pl. XLIX, f. 1
 Johnsoniana, 7: 226. pl. CLXIII, f. 10
 lutea, 1: 84. pl. VII, f. 4
 praecox, 3: 165. pl. XLIX, f. 1
Pleuropus abortivus, 4: 6. pl. LVI, f. 12
Pleurotus geogenius, 4: 3. pl. LVI, f. 6
Pluteus cervinus, 1: 38. pl. III, f. 2
Poronidulus conchifer, 5: 289. pl. CV, f. 1
Psathyrella disseminata, 6: 166. pl. CXXXII, f. 1
Psilocybe Foeniseccii, 3: 99. pl. XL, f. 5
Rostkovites granulatus, 5: 3. pl. LXXX, f. 3, 4
 subaureus, 5: 3. pl. LXXX, f. 5
Russula bifida, 7: 224. pl. CLXIII, f. 7
 crustosa, 7: 224. pl. CLXIII, f. 6
 emetica, 4: 290. pl. LXXVI, f. 3
 foetens, 4: 292. pl. LXXVI, f. 7
 furcata, 7: 224. pl. CLXIII, f. 7
 Mariae, 4: 290. pl. LXXVI, f. 2, 8
 obscura, 4: 291. pl. LXXVI, f. 5
 pectinatoides, 7: 167. pl. CLX, f. 9
 rubriochracea, 4: 292. pl. LXXVI, f. 9
 sericeonitens, 4: 290. pl. LXXVI, f. 1

- Russula stricta*, 4: 166. pl. LXVIII, f. 6
 sulcatipes, 4: 291. pl. LXXXVI, f. 4
 uncialis, 4: 292. pl. LXXXVI, f. 6
Scleroderma, 7: 167. pl. CLX, f. 8
 aurantium, 2: 4. pl. XVII, f. 7
 Geaster, 2: 5. pl. XVII, f. 9
 verrucosum, 2: 5. pl. XVII, f. 8
 verrucosum, 6: 224. pl. CXXXVII, f. 7
Scutiger griseus, 5: 289. pl. CV, f. 2
Sparassis Herbstii, 6: 162. pl. CXXXVIII
Stropharia semiglobata, 4: 2. pl. LVI, f. 3
Suillellus luridus, 4: 163. pl. LXVIII, f. 1
Tremella lutescens, 6: 224. pl. CXXXVII, f. 8
Tricholoma equestre, 1: 2. pl. I, f. 3
 melaleucum, 3: 167. pl. XLIX, f. 4
 personatum, 2: 43. pl. XIX, f. 1
 Russula, 7: 222. pl. CLXIII, f. 2
 sordidum, 6: 3. pl. CXIII, f. 4
Vaginata agglutinata, 5: 94. pl. LXXXVII, f. 2
 farinosa, 4: 3. pl. LVI, f. 5
Venenarius cothurnatus, 5: 96. pl. LXXXVII, f. 6
 flavorubescens, 5: 95. pl. LXXXVII, f. 4, 7
 Frostianus, 5: 96. pl. LXXXVII, f. 5
 muscarius, 5: 94. pl. LXXXVII, f. 3
 phalloides, 5: 93. pl. LXXXVII, f. 1
 rubens, 6: 1. pl. CXIII, f. 1

NEW YORK BOTANICAL GARDEN.